

# MIRROR FILMS

## MDN 500X ONE-WAY MIRROR

### EXTERNAL APPLICATION


### DAY & NIGHT ONE-WAY MIRROR SEE WITHOUT BEING SEEN


#### DESCRIPTION


Effective day and night. Our one-way mirror, with its transparent black tint on the inside, protects you from prying eyes whatever the time of day or the light.


From the outside, a perfect mirror. From the inside, total transparency with a black tinted effect. Allows 1% of visible light into the room.



 **SUSTAINABILITY** : 5 years for vertical applications in Central Europe.

 **USE** : For all types of glazing.

 **MAINTENANCE** : After 30 days with a standard cleaning solution (non-abrasive, ammonia-free, etc.). Do not use cleaning products that could scratch the surface.

 **STORAGE** : 2 years from delivery. This film should be stored away from excessive humidity and sunlight, at a temperature below 38°C.

In order to meet the highest standards, we recommend that you do not mix films from different productions.

Application notes



SCAN ME

Video of the installation



SCAN ME

### DIMENSIONS

<b>SUPPORT :</b>	PET
<b>ADHESIVE :</b>	Acrylic polymer 25 gr/m2
<b>PROTECTOR :</b>	Siliconised PET 23 microns
<b>THICKNESS :</b>	60 microns
<b>COLOUR :</b>	Silver and black
<b>APPLICATION SIDE :</b>	External
<b>UVA TRANSMISSION :</b>	2,20%
<b>T° OF APPLICATION :</b>	min, + 5°C
<b>STANDARDS :</b>	EUROCLASSES
<b>FIRE RATING :</b>	B-s1, d0
<b>GUARANTEE :</b>	5 years

BY ROLL :



1,52 x | 10 m  
30 m


#### METHOD OF APPLICATION


The surface to be bonded must be free from dust, grease or any other contaminant. Some materials, such as polycarbonate, can cause bubbling problems. A compatibility test is therefore recommended. Can be installed on plexiglass and polycarbonate.

#### PRODUCTION AND STANDARDS

In order to constantly improve our products, we may modify colours and manufacturing processes without prior notice. Before applying our films, we recommend that users ensure that they are suitable for the intended use and comply with current standards.

### OPERATION



 : +33 (0)1 43 99 00 22

 : info@reflectiv.com

 : www.reflectiv.com

 **Showroom** : 36 rue Réaumur 75003 Paris

 **Head office**: P.A. des petits carreaux

2 avenue des Orangers 94380 Bonneuil sur Marne - France