# new vinyl anti-humidity



**decal anti-humidity** effectiveness from printing to application







ANTI-WAVING

#### printings without

- . recurrent cleaning and wear of the print heads
- waste of consumables (vinyl and inks) and cleaning materials
- vulnerability to heat during machine heating
- working against the clock in image preparation, between jobs and storage

We appreciate your interest in **the new decal anti-humidity range**, developed to **eliminate vinyl waving** and **curling**. **Prints**, **finishing** and **applications** now have decal effectiveness from the first to the last minute.





ANTI-WAVING ANT

ANTI-CURLING

#### ANTI-CURLING

#### finishing without

- . concerns in the solvent evaporation phase
- . misalignment of the registration marks
- . irregularities in the cut
- . lamination with stains, creases and bubbles

### applications without

- . difficulty when positioning the vinyl
- . creases and tears in the liner
- . changes in the relative humidity levels of each location

We send you **samples** of some products of our **vinyl anti-humidity collection**, which guarantee **more profitability**, **speed** and **quality** in **Sign Graphics** jobs throughout the process.

**monomeric** vinyl

decal vinyl **P PE GB 80** 

white glossy / white matte

decal vinyl **P PE 100 BO** 

white glossy / white matte

**polymeric** vinyl

decal vinyl **P PE GB 75 BO** white glossy / white matte

pvc free

decal PVC Free **P PE 65 UVP** white glossy / white matte





## new vinyl **anti-humidity** collection by decal

decal anti-humidity effectiveness from printing to application



decal@decal.pt | +351 249 819 160